



0.45 lb./gal (54 grams /liter) Emitted VOC.

SECTION 4- FIRE AND EXPLOSION HAZARD DATA

Flammability Classification	Flash Point (method used)	Flammable Limits	
		LEL	UEL
Combustible Flash point above 99 and below 200 F	145 F (PMCC)	6.0	36.5

Combustion products	Extinguishing Media
CO, CO ₂	Alcohol Foam, Dry Chemical, CO ₂ ,

Unusual Fire and Explosion Hazards: Keep containers tightly closed and away from heat, open flame and sparks. Containers may rupture due to steam pressure build up when exposed to intense heat.

Special Fire Fighting Procedures: Water may be used to Cool exposed containers to prevent pressure build up and possible rupture. Wear self-contained breathing equipment and protective clothing. Water may be ineffective to control fires. If water is used, fog nozzles are preferred.

SECTION 5- HEALTH HAZARD DATA

Threshold Limit Value	- See section II.
Routes Of Entry	- Skin, eyes, inhalation, ingestion.
Effects Of Overexposure	- Irritation of eyes, skin and upper respiratory system.

Eyes- May cause severe irritation.

Skin - May cause irritation and rash.

Inhalation- May cause nausea and headache. Prolonged and repeated inhalation may be harmful to respiratory system.

Ingestion- May cause nausea, cramps, vomiting, diarrhea or acute effects. Large dosage may be fatal.

Extreme overexposure may result in unconsciousness and possibly death.

Signs & symptoms of overexposure- headache, dizziness, nausea, and loss of coordination are indications of excessive exposure to vapors or spray mist.

Redness and itching or burning sensation may indicate eye or excessive skin exposure.

Medical conditions prone to be aggravated by exposure: None

Carcinogenic: See section 7

SECTION 6- EMERGENCY AND FIRST AID PROCEDURES.

Eyes- Immediately flush with plenty of water for 15 minutes. Call a physician, if condition persists.

Skin- Wash thoroughly with plenty of water and soap. Remove and wash contaminated clothing.



Consult a physician if irritation persists.

Inhalation- Move to fresh air, Restore breathing if required. Treat symptomatically. Consult a physician.

Ingestion- DO NOT INDUCE VOMITTING. Consult a physician immediately or Poison Control Center. Treat symptomatically. Show M.S.D.S. or label.

SECTION 7- TOXICOLOGICAL INFORMATION

Chronic Health Hazards

None of the ingredients are listed carcinogens.

Prolonged exposure to solvents in section 2 may cause adverse effects to the liver and urinary systems.

Reports have associated repeated and prolonged overexposure to solvents with permanent brain and nervous system damage.

TOXICOLOGY DATA

<u>Ingredients</u>	<u>CAS NO.</u>	<u>RAT</u>	<u>4 HR.</u>	<u>Comments</u>
Methanol	67-57-1	LC50		64000 ppm
		LD50		5630 ppm
Calcium carbonate	471-34-1	LC50		NOT AVAILABLE
		LD50		NOT AVAILABLE

SECTION 8- STABILITY & REACTIVITY DATA

<u>Stability</u>	<u>Conditions to Avoid</u>	<u>Incompatibility</u>
Stable	None known	None known

Hazardous Polymerization
Will not occur.

Hazardous decomposition Products
Carbon dioxide, carbon monoxide.

SECTION 9- SAFE HANDLING AND STORAGE

Storage category- DOL Storage Class III A

Precautions to be taken in handling and storage- Contents are Combustible. Keep away from heat, sparks and open flame.

During use and until all the vapors are gone:

- Keep the area well ventilated
- Do not smoke
- Consult NFPA Code. Use approved Bonding and Grounding procedures.
- Keep containers closed when not in use. Transfer only to approved containers with complete and accurate labeling.
- Do not take internally
- KEEP OUT OF REACH OF CHILDREN.



SECTION 10- EXPOSURE CONTROLS/PERSONAL PROTECTION.

Precautions to be taken in use

- Use only with adequate ventilation. Use local exhaust ventilation to control mists or vapors generated when using this product. Ventilation must be adequate to keep exposure below regulated limits as noted in section II.
- Avoid contact with skin and eyes.
- Avoid breathing vapor and spray mist.
- Before initial use, consult OSHA's standard 1910.94, 1910.107, 1910,108

Respiratory Protection: Appropriate respiratory protection should be selected by a qualified person if exposure is expected to be excessive.

Protective Gloves: Rubber Gloves, chemically resistant.

Eye Protection: Wear safety glasses, goggles (side shields shall be unperforated), face shield.

Other Protective Equipment: Wear suitable protective clothing. Remove and wash contaminated clothing before re-use. A source of clean water shall be available for washing eyes and skin.

Wash hands after each use.

Hygienic Practices: Wash hands before eating, smoking or using washrooms. Smoke only in designated areas.

SECTION 11- SPILL OR LEAK PROCEDURES

Steps to be Taken in Case Material is Released or Spilled

- Remove sources of heat, sparks or open flames.
- Limit spread of leak or spill.
- Ventilate the area.
- Soak up with an inert absorbent material like sand or earth and pick up waste material. Put in a sealed approved container.
- Keep material out of sewers, drains and bodies of water.
- Wear approved respiratory protection.
- Wear suitable protective clothing, gloves and eye/face protection.

SECTION 12- DISPOSAL CONSIDERATIONS

Waste Disposal Method

Waste from this product is not hazardous as defined Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Incinerate in approved facility. Do not incinerate closed containers

Dispose of according to all applicable local, state, and federal regulations, regarding pollution.

SECTION 13- ECOLOGICAL INFORMATION

Ecotoxicological Information- No data available.

**SECTION 14- TRANSPORT INFORMATION**

No data available.

SECTION 15- REGULATORY INFORMATION

SARA 313 (40 CFR 372.65C) SUPPLIER NOTIFICATION.

CHEMICAL/COMPOUND	CAS NUMBER	% by Wt.	% Element
Methanol	67-57-1	2	

CALIFORNIA PROPOSITION 65

WARNING: This product contains chemicals known to the state of California to cause cancer and birth defects or other reproductive harm.

TSCA CERTIFICATION

All chemicals in this product are listed or exempt from listing on the TSCA inventory.

SECTION 16- OTHER INFORMATION

This product has been classified in accordance with the hazard criteria of the CFR and the MSDS contains all the information required by the CFR.

THE RECOMMENDATIONS AND INFORMATION PROVIDED HEREIN ARE BELIEVED TO BE AS THE DATE HEREOF. HOWEVER, SUCH INFORMATION AND RECOMMENDATIONS ARE PROVIDED WITHOUT WARRANTY OF ANY KIND AND S.T.A.R., INC. DISCLAIMS ANY AND ALL LIABILITY OR LEGAL RESPONSIBILITY FOR USE AND RELIANCE UPON THE SAME.